

Sticker - Foil lettering - self adhesive - custom size GUIDELINE

Format: final format or scaled ratio 1:1, 96-150 dpi Resolution:

ratio 1:10, 300 dpi

Bleed: no Crop marks:

deactivated Overprint:

Fonts: embedded or converted to paths Do not use: alpha channels, clipping paths, masks

Data format: from PDF/X-3.

File upload: Printing data can be uploaded in the online shop.

Color: Foils are pre-coloured and are cut according to individual order. You will find the colour selection below.

Colours may be reproduced differently from the screen. A colour chart is available on request at

info@werbecenter-berlin.de

Hinweise: Print and production tolerance is 0,25 %.

Depending on file format and print material colour deviations may occur during printing.

Notes

Only vector files are to be used for foil plotting!

Pixel files, e.g. photos or gradients, are cannot be used. Please create your data for the motif as vector graphics, otherwise the plotter will not recognise them and will not be able to cut them.

Line weight for motifs, fonts:

min. 1.5 mm.

Font height:

min. 10 mm (with serifs) and 8 mm (without serifs).

No outlines:

Please create only shapes, outlines cannot be plotted.



Sticker - Foil lettering - self adhesive - custom size Colours Oracal 651

Here you can find the colour selection for your plot.

Note:

The accuracy of the colours shown depends on your hardware and software, colours may differ from the original product. Reference colour examples (colour cards) are available on request at info@werbecenter-berlin.de

Simulated colour effect: Daylight D65 . Source: www.orafol.com





Sticker - Foil lettering - self adhesive - custom size Colours Oracal 651

